

Bag Dump Station

Manual

Smart Solutions To Keep You Moving!

Ensign's Bag Dump Stations, also known as a bag break station, are an efficient in-plant material transfer solution for most dry bulk materials.

This equipment comes loaded with a variety of features to handle bags easily, contain dust and discharge materials into downstream operations effectively.

For processing bagged materials, Bag Dump Stations are an economical solution!

Whatever your process requirements may be, we look forward to providing a smart solution for you!

Key features:

- Heavy duty steel construction
- Open top w/ splash guards or dust containment hood
- Plated or SS grate w/ bag slitter
- Hinged door w/ gas strut lift assist
- 60 degree hopper slope
- Dust collection baffle and stub
- A variety of discharge options
- Industry leading two year warranty on all parts and workmanship

ph: 616.738.9000 (or) 800.753.8947

fax: 616.738.9001

See back page for additional options and specifications.




Bag Dump Station


Standard Features:


- Heavy duty steel construction
- 40" x 40" x 56" (w/ hood)
- Bag rest / entry height 36"
- Bag break grate w/ bag slitter
- Industry standard flange 16.25" x 16.25"
- Open top w/ splash guards (51-1000)
- Dust containment hood w/ vent (51-2000)
- Ensign Blue industrial epoxy

Optional Features:

- Stainless steel construction
- **Dust collector**
- Vacuum take-away boxes (VTA's)
- Screw conveyor discharge
- Level control switch
- Vibrator or agitator
- Custom sizes, heights and shapes







grate and VTA



Optional point of use dust collector w/ filter

Model	Slope	Capacity (level full)	Height	Туре
51-1000	60 deg	10cf	48"	Open top w/ splash guards
51-2000	60 deg	10cf	56"	Dust hood w/ hinged door